DEPARTMENT OF ENVIRONMENTAL RESOURCES



3800 Cornucopia Way, Suite C, Modesto, CA 95358-9494 Phone: 209.525.6700 Fax: 209.525.6774

November 16, 2016

Riverdale Park Tract Community Services District c/o Kelly Murphy PO Box 580343 Modesto, CA 95358

TRANSMITTAL OF AMENDMENT 04 TO COMPLIANCE ORDER NO. DER-16CO-002

On February 2, 2016, the Stanislaus County Department of Environmental Resources issued Compliance Order No. DER-16CO-002 to Riverdale Park Tract Community Services District in response to ongoing violations of the Maximum Contamination Level (MCL) for uranium, as specified in the Domestic Water Quality and Monitoring Regulation, Chapter 15, Title 22, California Code of Regulations. A compliance order amendment is being transmitted to the Riverdale Park Tract Community Services District Water System under cover of this letter.

Please respond to each item of the Directives by the deadlines established in the amendment and compliance order. If you have any questions regarding this matter, please contact Rachel Riess at (209) 525-6720.

Sincerely

Rachel Riess, REHS

Registered Environmental Health Specialist

Enclosure (1)

cc: Juan Cano, Self Help Enterprises, PO Box 6520, Visalia, CA 93290

1		STANISLAUS COUNTY
2		DEPARTMENT OF ENVIRONMENTAL RESOURCES
3	,	DIVISION OF ENVIRONMENTAL HEALTH
4		
5		
6	TO:	Riverdale Park Tract Community Services District
7		2426 Riverdale Drive
8		Modesto, CA 95358
9		
10	Attn:	Kelly Murphy, Board Member
11 -		Riverdale Park Tract Community Services District
12	"	
13	AMENDMENT 04 TO COMPLIANCE ORDER NO. DER-16CO-002	
14	-	FOR
14 15	n 5	FOR WATER SYSTEM NO. 5000019
15 16 17		WATER SYSTEM NO. 5000019 Issued on November 9, 2016
15 16	The Departm	WATER SYSTEM NO. 5000019
15 16 17		WATER SYSTEM NO. 5000019 Issued on November 9, 2016
15 16 17 18	and through	WATER SYSTEM NO. 5000019 Issued on November 9, 2016 ent of Environmental Resources (hereinafter "Department"), acting by
15 16 17 18	and through	WATER SYSTEM NO. 5000019 Issued on November 9, 2016 ent of Environmental Resources (hereinafter "Department"), acting by its Division of Environmental Health (hereinafter "Division") and the
15 16 17 18 19 20	and through	WATER SYSTEM NO. 5000019 Issued on November 9, 2016 ent of Environmental Resources (hereinafter "Department"), acting by its Division of Environmental Health (hereinafter "Division") and the the Division (hereinafter "Manager"), hereby issues this Amendment 04
15 16 17 18 19 20 21	and through Manager for to Compliance	WATER SYSTEM NO. 5000019 Issued on November 9, 2016 ent of Environmental Resources (hereinafter "Department"), acting by its Division of Environmental Health (hereinafter "Division") and the the Division (hereinafter "Manager"), hereby issues this Amendment 04
15 16 17 18 19 20 21 22	and through Manager for to Compliance The Departm	WATER SYSTEM NO. 5000019 Issued on November 9, 2016 ent of Environmental Resources (hereinafter "Department"), acting by its Division of Environmental Health (hereinafter "Division") and the the Division (hereinafter "Manager"), hereby issues this Amendment 04 order DER-16CO-002.



1	DIRECTIVES		
2	A) Delete Directive 6 and replace with the following:		
3	"On or before December 14, 2016, present the Corrective Action Plan required under		
4	Directive No. 5, herein above, to the Division in person at the Division's office located		
5	at 3800 Cornucopia Way, Suite C, Modesto, CA 95358".		
6			
7	Except as amended herein, all other terms of Compliance Order No. DER-16CO-002		
8 9	shall remain in full force and effect.		
10	Rachel Riess, REHS Date		
11	Senior Environmental Health Specialist		
12	Division of Environmental Health		
13	Department of Environmental Resources		
14	Stanislaus County		
15	Certified Mail No. 7014 3490 0001 6851 3024		